# ELEMENTS BOOK 4

Construction of Rectilinear Figures In and Around Circles

# Ὅροι.

α'. Σχῆμα εὐθύγραμμον εἰς σχῆμα εὐθύγραμμον ἐγγράφεσθαι λέγεται, ὅταν ἑκάστη τῶν τοῦ ἐγγραφομένου σχήματος γωνιῶν ἑκάστης πλευρᾶς τοῦ, εἰς ὃ ἐγγράφεται, ἄπτηται.

β'. Σχῆμα δὲ ὑμοίως περὶ σχῆμα περιγράφεσθαι λέγεται, ὅταν ἑκάστη πλευρὰ τοῦ περιγραφομένου ἑκάστης γωνίας τοῦ, περὶ ὃ περιγράφεται, ἄπτηται.

γ'. Σχῆμα εὐθύγραμμον εἰς κύκλον ἐγγράφεσθαι λέγεται, ὅταν ἑκάστη γωνία τοῦ ἐγγραφομένου ἄπτηται τῆς τοῦ κύκλου περιφερείας.

δ'. Σχῆμα δὲ εὐθύγραμμον περὶ κύκλον περιγράφεσθαι λέγεται, ὅταν ἑκάστη πλευρὰ τοῦ περιγραφομένου ἐφάπτηται τῆς τοῦ κύκλου περιφερείας.

ε'. Κύχλος δὲ εἰς σχῆμα ὑμοίως ἐγγράφεσθαι λέγεται, ὅταν ἡ τοῦ κύχλου περιφέρεια ἑχάστης πλευρᾶς τοῦ, εἰς ὃ ἐγγράφεται, ἄπτηται.

γ΄. Κύχλος δὲ περὶ σχῆμα περιγράφεσθαι λέγεται, ὅταν ἡ τοῦ κύκλου περιφέρεια ἐκάστης γωνίας τοῦ, περὶ ὃ περιγράφεται, ἄπτηται.

ζ΄. Εὐθεῖα εἰς κύκλον ἐναρμόζεσθαι λέγεται, ὅταν τὰ πέρατα αὐτῆς ἐπὶ τῆς περιφερείας ἢ τοῦ κύκλου.

## Definitions

1. A rectilinear figure is said to be inscribed in a(nother) rectilinear figure when the respective angles of the inscribed figure touch the respective sides of the (figure) in which it is inscribed.

2. And, similarly, a (rectilinear) figure is said to be circumscribed about a(nother rectilinear) figure when the respective sides of the circumscribed (figure) touch the respective angles of the (figure) about which it is circumscribed.

3. A rectilinear figure is said to be inscribed in a circle when each angle of the inscribed (figure) touches the circumference of the circle.

4. And a rectilinear figure is said to be circumscribed about a circle when each side of the circumscribed (figure) touches the circumference of the circle.

5. And, similarly, a circle is said to be inscribed in a (rectilinear) figure when the circumference of the circle touches each side of the (figure) in which it is inscribed.


6. And a circle is said to be circumscribed about a rectilinear (figure) when the circumference of the circle touches each angle of the (figure) about which it is circumscribed.

7. A straight-line is said to be inserted into a circle when its extemities are on the circumference of the circle.

## **Proposition 1**

To insert a straight-line equal to a given straight-line into a circle, (the latter straight-line) not being greater than the diameter of the circle.

D




Let ABC be the given circle, and D the given straightline (which is) not greater than the diameter of the circle. So it is required to insert a straight-line, equal to the straight-line D, into the circle ABC.

Let a diameter BC of circle ABC have been drawn.<sup>†</sup>

# α΄.

Εἰς τὸν δοθέντα κύκλον τῆ δοθείσῃ εὐθεία μὴ μείζονι οὖσῃ τῆς τοῦ κύκλου διαμέτρου ἴσην εὐθεῖαν ἐναρμόσαι.



Έστω ὁ δοθεὶς κύκλος ὁ ABΓ, ἡ δὲ δοθεῖσα εὐθεῖα μὴ μείζων τῆς τοῦ κύκλου διαμέτρου ἡ Δ. δεῖ δὴ εἰς τὸν ABΓ κύκλον τῆ Δ εὐθεία ἴσην εὐθεῖαν ἐναρμόσαι.

Ηχθω τοῦ ABΓ κύκλου διάμετρος ή BΓ. εἰ μèν οὖν ἴση ἐστὶν ή BΓ τῆ Δ, γεγονὸς ἂν εἴη τὸ ἐπιταχθέν· ἐνήρμοσται γὰρ εἰς τὸν ΑΒΓ κύκλον τῆ Δ εὐθεία ἴση ἡ ΒΓ. εἰ δὲ μείζων ἐστὶν ἡ ΒΓ τῆς Δ, κείσθω τῆ Δ ἴση ἡ ΓΕ, καὶ κέντρῳ τῷ Γ διαστήματι δὲ τῷ ΓΕ κύκλος γεγράφθω ὁ ΕΑΖ, καὶ ἐπεζεύχθω ἡ ΓΑ.

Ἐπεὶ οὖν το Γ σημεῖον κέντρον ἐστὶ τοῦ ΕΑΖ κύκλου, ἴση ἐστὶν ἡ ΓΑ τῆ ΓΕ. ἀλλὰ τῆ Δ ἡ ΓΕ ἐστιν ἴση· καὶ ἡ Δ ἀρα τῆ ΓΑ ἐστιν ἴση.

Εἰς ἄρα τὸν δοθέντα κύκλον τὸν ΑΒΓ τῆ δοθείση εὐθεία τῆ Δ ἴση ἐνήρμοσται ἡ ΓΑ· ὅπερ ἔδει ποιῆσαι. Therefore, if BC is equal to D then that (which) was prescribed has taken place. For the (straight-line) BC, equal to the straight-line D, has been inserted into the circle ABC. And if BC is greater than D then let CE be made equal to D [Prop. 1.3], and let the circle EAF have been drawn with center C and radius CE. And let CAhave been joined.


Therefore, since the point C is the center of circle EAF, CA is equal to CE. But, CE is equal to D. Thus, D is also equal to CA.

Thus, CA, equal to the given straight-line D, has been inserted into the given circle ABC. (Which is) the very thing it was required to do.

<sup>†</sup> Presumably, by finding the center of the circle [Prop. 3.1], and then drawing a line through it.

β'.

Εἰς τὸν δοθέντα κύκλον τῷ δοθέντι τριγώνῳ ἰσογώνιον τρίγωνον ἐγγράψαι.



Έστω ὁ δοθεὶς κύκλος ὁ ABΓ, τὸ δὲ δοθὲν τριγωνον τὸ ΔΕΖ· δεῖ δὴ εἰς τὸν ΑΒΓ κύκλον τῷ ΔΕΖ τριγώνῷ ἰσογώνιον τρίγωνον ἐγγράψαι.


Ήχθω τοῦ ABΓ κύκλου ἐφαπτομένη ἡ HΘ κατὰ τὸ A, καὶ συνεστάτω πρὸς τῆ AΘ εὐθεία καὶ τῷ πρὸς αὐτῆ σημείω τῷ A τῆ ὑπὸ ΔΕΖ γωνία ἴση ἡ ὑπὸ ΘΑΓ, πρὸς δὲ τῆ AH εὐθεία καὶ τῷ πρὸς αὐτῆ σημείω τῷ A τῆ ὑπὸ ΔΖΕ [γωνία] ἴση ἡ ὑπὸ HAB, καὶ ἐπεζεύχθω ἡ BΓ.

Έπεὶ οὖν κύκλου τοῦ ΑΒΓ ἐφάπτεταί τις εὐθεῖα ἡ ΑΘ, καὶ ἀπὸ τῆς κατὰ τὸ Α ἐπαφῆς εἰς τὸν κύκλον διῆκται εὐθεῖα ἡ ΑΓ, ἡ ἄρα ὑπὸ ΘΑΓ ἴση ἐστὶ τῆ ἐν τῷ ἐναλλὰξ τοῦ κύκλου τμήματι γωνία τῆ ὑπὸ ΑΒΓ. ἀλλ' ἡ ὑπὸ ΘΑΓ τῆ ὑπὸ ΔΕΖ ἐστιν ἴση· καὶ ἡ ὑπὸ ΑΒΓ ἄρα γωνία τῆ ὑπὸ ΔΕΖ ἐστιν ἴση. διὰ τὰ αὐτὰ δὴ καὶ ἡ ὑπὸ ΑΓΒ τῆ ὑπὸ ΔΖΕ ἐστιν ἴση· καὶ λοιπὴ ἄρα ἡ ὑπὸ ΒΑΓ λοιπῆ τῆ ὑπὸ ΕΔΖ ἐστιν ἴση [ἰσογώνιον ἄρα ἐστὶ τὸ ΑΒΓ τρίγωνον τῷ ΔΕΖ τριγώνῳ, καὶ ἐγγέγραπται εἰς τὸν ΑΒΓ κύκλον].

Εἰς τὸν δοθέντα ἄρα κύκλον τῷ δοθέντι τριγώνω ἰσογώνιον τρίγωνον ἐγγέγραπται· ὅπερ ἔδει ποιῆσαι.

# **Proposition 2**

To inscribe a triangle, equiangular with a given triangle, in a given circle.



Let ABC be the given circle, and DEF the given triangle. So it is required to inscribe a triangle, equiangular with triangle DEF, in circle ABC.

Let GH have been drawn touching circle ABC at A.<sup>†</sup> And let (angle) HAC, equal to angle DEF, have been constructed on the straight-line AH at the point A on it, and (angle) GAB, equal to [angle] DFE, on the straightline AG at the point A on it [Prop. 1.23]. And let BChave been joined.

Therefore, since some straight-line AH touches the circle ABC, and the straight-line AC has been drawn across (the circle) from the point of contact A, (angle) HAC is thus equal to the angle ABC in the alternate segment of the circle [Prop. 3.32]. But, HAC is equal to DEF. Thus, angle ABC is also equal to DEF. So, for the same (reasons), ACB is also equal to DFE. Thus, the remaining (angle) BAC is equal to the remaining (angle) EDF [Prop. 1.32]. [Thus, triangle ABC is equiangular with triangle DEF, and has been inscribed in circle


ABC].

Thus, a triangle, equiangular with the given triangle, has been inscribed in the given circle. (Which is) the very thing it was required to do.

<sup>†</sup> See the footnote to Prop. 3.34.

#### γ΄.

Περὶ τὸν δοθέντα κύκλον τῷ δοθέντι τριγώνῳ ἰσογώνιον τρίγωνον περιγράψαι.



Έστω ὁ δοθεὶς κύκλος ὁ ΑΒΓ, τὸ δὲ δοθὲν τρίγωνον τὸ ΔΕΖ· δεῖ δὴ περὶ τὸν ΑΒΓ κύκλον τῷ ΔΕΖ τριγώνῷ ἰσογώνιον τρίγωνον περιγράψαι.


Έκβεβλήσθω ή EZ ἐφ' ἑκάτερα τὰ μέρη κατὰ τὰ Η, Θ σημεῖα, καὶ εἰλήφθω τοῦ ABΓ κύκλου κέντρον τὸ Κ, καὶ διήχθω, ὡς ἔτυχεν, εὐθεῖα ἡ KB, καὶ συνεστάτω πρὸς τῆ KB εὐθεία καὶ τῷ πρὸς αὐτῆ σημείω τῷ Κ τῆ μὲν ὑπὸ ΔΕΗ γωνία ἴση ἡ ὑπὸ BKA, τῆ δὲ ὑπὸ ΔΖΘ ἴση ἡ ὑπὸ BKΓ, καὶ διὰ τῶν A, B, Γ σημείων ἤχθωσαν ἐφαπτόμεναι τοῦ ABΓ κύκλου αἱ ΛAM, MBN, NΓΛ.

Καὶ ἐπεὶ ἐφάπτονται τοῦ ΑΒΓ χύχλου αἱ ΛΜ, ΜΝ, ΝΛ κατὰ τὰ Α, Β, Γ σημεῖα, ἀπὸ δὲ τοῦ Κ κέντρου ἐπὶ τὰ Α, Β, Γ σημεῖα ἐπεζευγμέναι εἰσὶν αἱ ΚΑ, ΚΒ, ΚΓ, ὀρθαὶ ἄρα εἰσὶν αἱ πρὸς τοῖς Α, Β, Γ σημείοις γωνίαι. καὶ ἐπεὶ τοῦ ΑΜΒΚ τετραπλεύρου αἱ τέσσαρες γωνίαι τέτρασιν ὀρθαῖς ἴσαι εἰσίν, ἐπειδήπερ καὶ εἰς δύο τρίγωνα διαιρεῖται τὸ ΑΜΒΚ, καί εἰσιν ὀρθαὶ αἱ ὑπὸ ΚΑΜ, ΚΒΜ γωνίαι, λοιπαὶ ἄρα αἱ ὑπὸ ΑΚΒ, ΑΜΒ δυσὶν ὀρθαῖς ἴσαι εἰσίν. εἰσὶ δὲ καὶ αἱ ὑπὸ ΔΕΗ, ΔΕΖ δυσὶν ὀρθαῖς ἴσαι εἰσίν. εἰσὶ δὲ καὶ αἱ ὑπὸ ΔΕΗ, ΔΕΖ ἴσαι εἰσίν, ῶν ἡ ὑπὸ ΑΚΒ τῆ ὑπὸ ΔΕΗ ἐστιν ἴση· λοιπὴ ἄρα ἡ ὑπὸ ΑΜΒ λοιπῆ τῆ ὑπὸ ΔΕΖ ἐστιν ἴση. ὁμοίως δὴ δειχθήσεται, ὅτι καὶ ἡ ὑπὸ ΛΝΒ τῆ ὑπὸ ΔΖΕ ἐστιν ἴση· καὶ λοιπὴ ἄρα ἡ ὑπὸ ΜΛΝ [λοιπῆ] τῆ ὑπὸ ΕΔΖ ἐστιν ἴση· καὶ λοιπὴ ἄρα ἡ ὑπὸ ΑΝΝ τρίγωνον τῷ ΔΕΖ τριγώνῳ· καὶ περιγέγραπται περὶ τὸν ΑΒΓ κύχλον.

Περί τὸν δοθέντα ἄρα κύκλον τῷ δοθέντι τριγώνῷ ἰσογώνιον τρίγωνον περιγέγραπται· ὅπερ ἔδει ποιῆσαι.

#### **Proposition 3**

To circumscribe a triangle, equiangular with a given triangle, about a given circle.



Let ABC be the given circle, and DEF the given triangle. So it is required to circumscribe a triangle, equiangular with triangle DEF, about circle ABC.

Let *EF* have been produced in each direction to points *G* and *H*. And let the center *K* of circle *ABC* have been found [Prop. 3.1]. And let the straight-line *KB* have been drawn, at random, across (*ABC*). And let (angle) *BKA*, equal to angle *DEG*, have been constructed on the straight-line *KB* at the point *K* on it, and (angle) *BKC*, equal to *DFH* [Prop. 1.23]. And let the (straight-lines) *LAM*, *MBN*, and *NCL* have been drawn through the points *A*, *B*, and *C* (respectively), touching the circle *ABC*.<sup>†</sup>


And since LM, MN, and NL touch circle ABC at points A, B, and C (respectively), and KA, KB, and KC are joined from the center K to points A, B, and C (respectively), the angles at points A, B, and C are thus right-angles [Prop. 3.18]. And since the (sum of the) four angles of quadrilateral AMBK is equal to four rightangles, inasmuch as AMBK (can) also (be) divided into two triangles [Prop. 1.32], and angles KAM and KBM are (both) right-angles, the (sum of the) remaining (angles), AKB and AMB, is thus equal to two right-angles. And DEG and DEF is also equal to two right-angles [Prop. 1.13]. Thus, AKB and AMB is equal to DEGand DEF, of which AKB is equal to DEG. Thus, the remainder AMB is equal to the remainder DEF. So, similarly, it can be shown that LNB is also equal to DFE. Thus, the remaining (angle) MLN is also equal to the LMN is equiangular with triangle DEF. And it has been drawn around circle ABC. Thus, a triangle, equiangular with the given triangle,

has been circumscribed about the given circle. (Which is) the very thing it was required to do.

[remaining] (angle) EDF [Prop. 1.32]. Thus, triangle

# **Proposition 4**

To inscribe a circle in a given triangle.



Let ABC be the given triangle. So it is required to inscribe a circle in triangle ABC.


Let the angles ABC and ACB have been cut in half by the straight-lines BD and CD (respectively) [Prop. 1.9], and let them meet one another at point D, and let DE, DF, and DG have been drawn from point D, perpendicular to the straight-lines AB, BC, and CA (respectively) [Prop. 1.12].

And since angle ABD is equal to CBD, and the rightangle BED is also equal to the right-angle BFD, EBDand FBD are thus two triangles having two angles equal to two angles, and one side equal to one side—the (one) subtending one of the equal angles (which is) common to the (triangles)—(namely), BD. Thus, they will also have the remaining sides equal to the (corresponding) remaining sides [Prop. 1.26]. Thus, DE (is) equal to DF. So, for the same (reasons), DG is also equal to DF. Thus, the three straight-lines DE, DF, and DG are equal to one another. Thus, the circle drawn with center D, and radius one of E, F, or  $G^{\dagger}$ , will also go through the remaining points, and will touch the straight-lines AB, BC, and CA, on account of the angles at E, F, and G being right-angles. For if it cuts (one of) them then it will be a (straight-line) drawn at right-angles to a diameter of the circle, from its extremity, falling inside the circle. The very thing was shown (to be) absurd [Prop. 3.16]. Thus, the circle drawn with center D, and radius one of E, F,

<sup>†</sup> See the footnote to Prop. 3.34.

δ'.

Εἰς τὸ δοθὲν τρίγωνον κύκλον ἐγγράψαι.



Έστω τὸ δοθὲν τρίγωνον τὸ ΑΒΓ· δεῖ δὴ εἰς τὸ ΑΒΓ τρίγωνον χύχλον ἐγγράψαι.

Τετμήσθωσαν αί ὑπὸ ABΓ, AΓΒ γωνίαι δίχα ταῖς BΔ, ΓΔ εὐθείαις, καὶ συμβαλλέτωσαν ἀλλήλαις κατὰ τὸ Δ σημεῖον, καὶ ἤχθωσαν ἀπὸ τοῦ Δ ἐπὶ τὰς AB, BΓ, ΓΑ εὐθείας κάθετοι αί  $\Delta$ E,  $\Delta$ Z,  $\Delta$ H.

Καὶ ἐπεὶ ἴση ἐστὶν ἡ ὑπὸ ΑΒΔ γωνία τῆ ὑπὸ ΓΒΔ, έστι δὲ και ὀρθή ή ὑπὸ ΒΕΔ ὀρθῆ τῆ ὑπὸ ΒΖΔ ἴση, δύο δή τρίγωνά ἐστι τὰ ΕΒΔ, ΖΒΔ τὰς δύο γωνίας ταῖς δυσὶ γωνίαις ἴσας ἔχοντα χαὶ μίαν πλευρὰν μιῷ πλευρῷ ἴσην τὴν ύποτείνουσαν ύπὸ μίαν τῶν ἴσων γωνιῶν κοινὴν αὐτῶν τὴν  $\mathrm{B}\Delta\cdot$  καὶ τὰς λοιπὰς ἄρα πλευρὰς ταῖς λοιπαῖς πλευραῖς ἴσας ἕξουσιν· ἴση ἄρα ή  $\Delta E$  τῆ  $\Delta Z$ . διὰ τὰ αὐτὰ δὴ καὶ ή  $\Delta H$ τῆ  $\Delta Z$  ἐστιν ἴση. <br/> αἱ τρεῖς ἄρα εὐθεῖαι αἱ  $\Delta E, \Delta Z, \Delta H$ ἴσαι ἀλλήλαις εἰσίν· ὁ ἄρα κέντρῷ τῷ  $\Delta$  καὶ διαστήματι ἑνὶ τῶν Ε, Ζ, Η κύκλος γραφόμενος ἤξει καὶ διὰ τῶν λοιπῶν σημείων καὶ ἐφάψεται τῶν ΑΒ, ΒΓ, ΓΑ εὐθειῶν διὰ τὸ όρθὰς εἶναι τὰς πρὸς τοῖς Ε, Ζ, Η σημείοις γωνίας. εἰ γὰρ τεμεῖ αὐτάς, ἔσται ἡ τῆ διαμέτρω τοῦ κύκλου πρὸς ὀρθὰς άπ' ἄχρας ἀγομένη ἐντὸς πίπτουσα τοῦ χύχλου. ὅπερ ἄτοπον ἐδείχθη· οὐκ ἄρα ὁ κέντρ $\omega$  τ $\widetilde{\omega}$   $\Delta$  διαστήματι δὲ ἑνὶ τ $\widetilde{\omega}$ ν Ε, Ζ, Η γραφόμενος χύχλος τεμεῖ τὰς ΑΒ, ΒΓ, ΓΑ εὐθείας έφάψεται ἄρα αὐτῶν, καὶ ἔσται ὁ κύκλος ἐγγεγραμμένος εἰς τὸ ΑΒΓ τρίγωνον. ἐγγεγράφθω ὡς ὁ ΖΗΕ.

Εἰς ἄρα τὸ δοθὲν τρίγωνον τὸ ΑΒΓ κύκλος ἐγγέγραπται ὁ ΕΖΗ· ὅπερ ἔδει ποιῆσαι.


or G, does not cut the straight-lines AB, BC, and CA. Thus, it will touch them and will be the circle inscribed in triangle ABC. Let it have been (so) inscribed, like FGE (in the figure).

Thus, the circle EFG has been inscribed in the given triangle ABC. (Which is) the very thing it was required to do.

 $^{\dagger}$  Here, and in the following propositions, it is understood that the radius is actually one of DE, DF, or DG.

ε΄.

Περὶ τὸ δοθὲν τρίγωνον κύκλον περιγράψαι.



Έστω τὸ δοθὲν τρίγωνον τὸ ABΓ· δεῖ δὲ περὶ τὸ δοθὲν τρίγωνον τὸ ABΓ κύκλον περιγράψαι.

Τετμήσθωσαν αί AB, AΓ εὐθεῖαι δίχα κατὰ τὰ Δ, Ε σημεῖα, καὶ ἀπὸ τῶν Δ, Ε σημείων ταῖς AB, AΓ πρὸς ὀρθὰς ἤχθωσαν αί ΔΖ, ΕΖ· συμπεσοῦνται δὴ ἤτοι ἐντὸς τοῦ ABΓ τριγώνου ἢ ἐπὶ τῆς BΓ εὐθείας ἢ ἐκτὸς τῆς BΓ.

Συμπιπτέτωσαν πρότερον ἐντὸς κατὰ τὸ Z, καὶ ἐπεζεύχθωσαν αἱ ZB, ZΓ, ZA. καὶ ἐπεὶ ἴση ἐστὶν ἡ AΔ τῆ ΔB, κοινὴ δὲ καὶ πρὸς ὀρθὰς ἡ ΔZ, βάσις ἄρα ἡ AZ βάσει τῆ ZB ἐστιν ἴση. ὁμοίως δὴ δείξομεν, ὅτι καὶ ἡ ΓΖ τῆ AZ ἐστιν ἴση· ὥστε καὶ ἡ ZB τῆ ZΓ ἐστιν ἴση· αἱ τρεῖς ἄρα αἱ ZA, ZB, ZΓ ἴσαι ἀλλήλαις εἰσίν. ὁ ἄρα κέντρω τῷ Z διαστήματι δὲ ἑνὶ τῶν A, B, Γ κύκλος γραφόμενος ῆξει καὶ διὰ τῶν λοιπῶν σημείων, καὶ ἔσται περιγεγραμμένος ὁ κύκλος περὶ τὸ ABΓ τρίγωνον. περιγεγράφθω ὡς ὁ ABΓ.


Άλλὰ δὴ αἱ ΔΖ, ΕΖ συμπιπτέτωσαν ἐπὶ τῆς ΒΓ εὐθείας κατὰ τὸ Ζ, ὡς ἔχει ἐπὶ τῆς δευτέρας καταγραφῆς, καὶ ἐπεζεύχθω ἡ ΑΖ. ὑμοίως δὴ δείξομεν, ὅτι τὸ Ζ σημεῖον κέντρον ἐστὶ τοῦ περὶ τὸ ΑΒΓ τρίγωνον περιγραφομένου κύκλου.

Άλλὰ δὴ ai ΔΖ, ΕΖ συμπιπτέτωσαν ἐχτὸς τοῦ ΑΒΓ τριγώνου κατὰ τὸ Ζ πάλιν, ὡς ἔχει ἐπὶ τῆς τρίτης καταγραφῆς, καί ἐπεζεύχθωσαν αi ΑΖ, ΒΖ, ΓΖ. καὶ ἐπεὶ πάλιν ἴση ἑστὶν ἡ ΑΔ τῆ ΔΒ, κοινὴ δὲ καὶ πρὸς ὀρθὰς ἡ ΔΖ, βάσις ἄρα ἡ ΑΖ βάσει τῆ ΒΖ ἐστιν ἴση. ὡμοίως δὴ δείξομεν, ὅτι καὶ ἡ ΓΖ τῆ ΑΖ ἐστιν ἴση· ὥστε καὶ ἡ ΒΖ τῆ ΖΓ ἐστιν ἴση· ὁ ἄρα [πάλιν] κέντρῳ τῷ Ζ διαστήματι δὲ ἑνὶ τῶν ΖΑ, ΖΒ, ΖΓ κύκλος γραφόμενος ἥξει καὶ διὰ τῶν λοιπῶν σημείων, καὶ ἔσται περιγεγραμμένος περὶ τὸ ΑΒΓ τρίγωνον.

Περὶ τὸ δοθὲν ἄρα τρίγωνον κύκλος περιγέγραπται· ὅπερ ἔδει ποιῆσαι.

## Proposition 5

To circumscribe a circle about a given triangle.



Let ABC be the given triangle. So it is required to circumscribe a circle about the given triangle ABC.

Let the straight-lines AB and AC have been cut in half at points D and E (respectively) [Prop. 1.10]. And let DF and EF have been drawn from points D and E, at right-angles to AB and AC (respectively) [Prop. 1.11]. So (DF and EF) will surely either meet inside triangle ABC, on the straight-line BC, or beyond BC.

Let them, first of all, meet inside (triangle ABC) at (point) F, and let FB, FC, and FA have been joined. And since AD is equal to DB, and DF is common and at right-angles, the base AF is thus equal to the base FB[Prop. 1.4]. So, similarly, we can show that CF is also equal to AF. So that FB is also equal to FC. Thus, the three (straight-lines) FA, FB, and FC are equal to one another. Thus, the circle drawn with center F, and radius one of A, B, or C, will also go through the remaining points. And the circle will have been circumscribed about triangle ABC. Let it have been (so) circumscribed, like ABC (in the first diagram from the left).

And so, let DF and EF meet on the straight-line BC at (point) F, like in the second diagram (from the left). And let AF have been joined. So, similarly, we can show that point F is the center of the circle circumscribed about triangle ABC.

And so, let DF and EF meet outside triangle ABC, again at (point) F, like in the third diagram (from the left). And let AF, BF, and CF have been joined. And, again, since AD is equal to DB, and DF is common and at right-angles, the base AF is thus equal to the base BF [Prop. 1.4]. So, similarly, we can show that CF is also equal to AF. So that BF is also equal to FC. Thus,


В

[again] the circle drawn with center F, and radius one of FA, FB, and FC, will also go through the remaining points. And it will have been circumscribed about triangle ABC.

Thus, a circle has been circumscribed about the given triangle. (Which is) the very thing it was required to do.

## **Proposition 6**

To inscribe a square in a given circle.



Έστω ή δοθείς κύκλος ὁ ΑΒΓΔ· δεῖ δὴ εἰς τὸν ΑΒΓΔ Le κύκλον τετράγωνον ἐγγράψαι.

Ήχθωσαν τοῦ ΑΒΓΔ κύκλου δύο διάμετροι πρὸς ὀρθὰς ἀλλήλαις αἱ ΑΓ, ΒΔ, καὶ ἐπεζεύχθωσαν αἱ ΑΒ, ΒΓ, ΓΔ, ΔΑ.

ج'.

Е

Δ

Εἰς τὸν δοθέντα κύκλον τετράγωνον ἐγγράψαι.

Καὶ ἐπεὶ ἴση ἐστὶν ἡ ΒΕ τῆ ΕΔ· κέντρον γὰρ τὸ Ε· κοινὴ δὲ καὶ πρὸς ὀρθὰς ἡ ΕΑ, βάσις ἄρα ἡ ΑΒ βάσει τῆ ΑΔ ἴση ἐστίν. διὰ τὰ αὐτὰ δὴ καὶ ἑκατέρα τῶν ΒΓ, ΓΔ ἑκατέρα τῶν ΑΒ, ΑΔ ἴση ἐστίν· ἰσόπλευρον ἄρα ἐστὶ τὸ ΑΒΓΔ τετράπλευρον. λέγω δή, ὅτι καὶ ὀρθογώνιον. ἐπεὶ γὰρ ἡ ΒΔ εὐθεῖα διάμετρός ἐστι τοῦ ΑΒΓΔ κύκλου, ἡμικύκλιον ἄρα ἐστὶ τὸ ΒΑΔ· ὀρθὴ ἄρα ἡ ὑπὸ ΒΑΔ γωνία. διὰ τὰ αὐτὰ δὴ καὶ ἑκάστη τῶν ὑπὸ ΑΒΓ, ΒΓΔ, ΓΔΑ ὀρθή ἐστιν· ὀρθογώνιον ἄρα ἐστὶ τὸ ΑΒΓΔ τετράπλευρον. ἐδείχθη δὲ καὶ ἰσόπλευρον· τετράγωνον ἄρα ἐστίν. καὶ ἐγγέγραπται εἰς τὸν ΑΒΓΔ κύκλον.

Εἰς ἄρα τὸν δοθέντα κύκλον τετράγωνον ἐγγέγραπται τὸ ΑΒΓΔ· ὅπερ ἔδει ποιῆσαι. Let ABCD be the given circle. So it is required to inscribe a square in circle ABCD.

Let two diameters of circle ABCD, AC and BD, have been drawn at right-angles to one another.<sup>†</sup> And let AB, BC, CD, and DA have been joined.

And since BE is equal to ED, for E (is) the center (of the circle), and EA is common and at right-angles, the base AB is thus equal to the base AD [Prop. 1.4]. So, for the same (reasons), each of BC and CD is equal to each of AB and AD. Thus, the quadrilateral ABCDis equilateral. So I say that (it is) also right-angled. For since the straight-line BD is a diameter of circle ABCD, BAD is thus a semi-circle. Thus, angle BAD (is) a rightangle [Prop. 3.31]. So, for the same (reasons), (angles) ABC, BCD, and CDA are also each right-angles. Thus, the quadrilateral ABCD is right-angled. And it was also shown (to be) equilateral. Thus, it is a square [Def. 1.22]. And it has been inscribed in circle ABCD.

Thus, the square ABCD has been inscribed in the given circle. (Which is) the very thing it was required to do.


<sup>†</sup> Presumably, by finding the center of the circle [Prop. 3.1], drawing a line through it, and then drawing a second line through it, at right-angles to the first [Prop. 1.11].

Περὶ τὸν δοθέντα κύκλον τετράγωνον περιγράψαι.

# Proposition 7

To circumscribe a square about a given circle.

Έστω ὁ δοθεὶς κύκλος ὁ ΑΒΓΔ· δεῖ δὴ περὶ τὸν ΑΒΓΔ κύκλον τετράγωνον περιγράψαι.




Ήχθωσαν τοῦ ΑΒΓΔ κύκλου δύο διάμετροι πρὸς ὀρθὰς ἀλλήλαις αἱ ΑΓ, ΒΔ, καὶ διὰ τῶν Α, Β, Γ, Δ σημείων ἦχθωσαν ἐφαπτόμεναι τοῦ ΑΒΓΔ κύκλου αἱ ΖΗ, ΗΘ, ΘΚ, ΚΖ.

Ἐπεὶ οὖν ἐφάπτεται ἡ ΖΗ τοῦ ΑΒΓΔ κύκλου, ἀπὸ δὲ τοῦ Ε κέντρου ἐπὶ τὴν κατὰ τὸ Α ἐπαφὴν ἐπέζευκται ἡ ΕΑ, αί ἄρα πρὸς τῷ Α γωνίαι ὀρθαί εἰσιν. διὰ τὰ αὐτὰ δή και αί πρός τοῖς Β, Γ, Δ σημείοις γωνίαι ὀρθαί εἰσιν. καὶ ἐπεὶ ὀρθή ἐστιν ἡ ὑπὸ ΑΕΒ γωνία, ἐστὶ δὲ ὀρθὴ καὶ ἡ ύπὸ ΕΒΗ, παράλληλος ἄρα ἐστιν ἡ ΗΘ τῆ ΑΓ. διὰ τὰ αὐτὰ δή καὶ ἡ ΑΓ τῆ ΖΚ ἐστι παράλληλος. ὥστε καὶ ἡ ΗΘ τῆ ΖΚ ἐστι παράλληλος. ὁμοίως δὴ δείξομεν, ὅτι καὶ ἑκατέρα τῶν ΗΖ, ΘΚ τῆ ΒΕΔ ἐστι παράλληλος. παραλληλόγραμμα ἄρα ἐστὶ τὰ ΗΚ, ΗΓ, ΑΚ, ΖΒ, ΒΚ· ἴση ἄρα ἐστὶν ἡ μὲν ΗΖ τῆ ΘΚ, ἡ δὲ ΗΘ τῆ ΖΚ. καὶ ἐπεὶ ἴση ἐστὶν ἡ ΑΓ τῆ  $B\Delta$ , ἀλλὰ καὶ ἡ μὲν ΑΓ ἑκατέρ<br/>α τῶν HΘ, ZK, ἡ δὲ  $B\Delta$ έκατέρα τῶν ΗΖ, ΘΚ ἐστιν ἴση [καὶ ἑκατέρα ἄρα τῶν ΗΘ, ΖΚ ἑκατέρα τῶν ΗΖ, ΘΚ ἐστιν ἴση], ἰσόπλευρον ἄρα ἐστὶ τὸ ΖΗΘΚ τετράπλευρον. λέγω δή, ὄτι καὶ ὀρθογώνιον. ἐπεὶ γὰρ παραλληλόγραμμόν ἐστι τὸ ΗΒΕΑ, καί ἐστιν ὀρθή ἡ ύπὸ AEB, ὀρθὴ ἄρα καὶ ἡ ὑπὸ AHB. ὁμοίως δὴ δείξομεν, ὅτι καὶ αἱ πρὸς τοῖς  $\Theta, \mathrm{K}, \mathrm{Z}$  γωνίαι ὀρθαί εἰσιν. ὀρθογώνιον άρα ἐστὶ τὸ ΖΗΘΚ. ἐδείχϑη δὲ καὶ ἰσόπλευρον· τετράγωνον άρα ἐστίν. καὶ περιγέγραπται περὶ τὸν ΑΒΓΔ κύκλον.

Περὶ τὸν δοθέντα ἄρα κύκλον τετράγωνον περιγέγραπται· ὅπερ ἔδει ποιῆσαι.

Let ABCD be the given circle. So it is required to circumscribe a square about circle ABCD.



Let two diameters of circle *ABCD*, *AC* and *BD*, have been drawn at right-angles to one another.<sup>†</sup> And let *FG*, *GH*, *HK*, and *KF* have been drawn through points *A*, *B*, *C*, and *D* (respectively), touching circle *ABCD*.<sup>‡</sup>

Therefore, since FG touches circle ABCD, and EAhas been joined from the center E to the point of contact A, the angles at A are thus right-angles [Prop. 3.18]. So, for the same (reasons), the angles at points B, C, and D are also right-angles. And since angle AEB is a rightangle, and EBG is also a right-angle, GH is thus parallel to AC [Prop. 1.29]. So, for the same (reasons), AC is also parallel to FK. So that GH is also parallel to FK[Prop. 1.30]. So, similarly, we can show that GF and HK are each parallel to BED. Thus, GK, GC, AK, FB, and BK are (all) parallelograms. Thus, GF is equal to HK, and GH to FK [Prop. 1.34]. And since AC is equal to BD, but AC (is) also (equal) to each of GH and FK, and BD is equal to each of GF and HK [Prop. 1.34] [and each of GH and FK is thus equal to each of GFand HK], the quadrilateral FGHK is thus equilateral. So I say that (it is) also right-angled. For since *GBEA* is a parallelogram, and AEB is a right-angle, AGB is thus also a right-angle [Prop. 1.34]. So, similarly, we can show that the angles at H, K, and F are also right-angles. Thus, FGHK is right-angled. And it was also shown (to be) equilateral. Thus, it is a square [Def. 1.22]. And it has been circumscribed about circle ABCD.

Thus, a square has been circumscribed about the given circle. (Which is) the very thing it was required to do.


<sup>&</sup>lt;sup>†</sup> See the footnote to the previous proposition.

<sup>&</sup>lt;sup>‡</sup> See the footnote to Prop. 3.34.

η΄.

Εἰς τὸ δοθὲν τετράγωνον κύκλον ἐγγράψαι.

Έστω τὸ δοθὲν τετράγωνον τὸ ΑΒΓΔ. δεῖ δὴ εἰς τὸ ΑΒΓΔ τετράγωνον χύχλον ἐγγράψαι.



Τετμήσθω ἑκατέρα τῶν ΑΔ, ΑΒ δίχα κατὰ τὰ Ε, Ζ σημεῖα, καὶ διὰ μὲν τοῦ Ε ὁποτέρα τῶν ΑΒ, ΓΔ παράλληλος ἦχθω ὁ ΕΘ, διὰ δὲ τοῦ Ζ ὁποτέρα τῶν Α $\Delta,$  ΒΓ παράλληλος ήχθω ή ZK· παραλληλόγραμμον άρα ἐστὶν ἕκαστον τῶν AK, KB, A $\Theta$ ,  $\Theta\Delta$ , AH, H $\Gamma$ , BH, H $\Delta$ ,  $\varkappa\alpha$ ì  $\alpha$ ì  $\dot{\alpha}\pi\epsilon\nu\alpha\nu\tau$ ίον αὐτῶν πλευραὶ δηλονότι ἴσαι [εἰσίν]. καὶ ἐπεὶ ἴση ἐστὶν ἡ  $A\Delta$  τῆ AB, καί ἐστι τῆς μὲν  $A\Delta$  ἡμίσεια ἡ AE, τῆς δὲ AB ἡμίσεια ἡ AZ, ἴση ἄρα καὶ ἡ ΑΕ τῆ AZ· ὥστε καὶ αἱ ἀπεναντίον ἴση ἄρα καὶ ἡ ΖΗ τῆ ΗΕ. ὁμοίως δὴ δείξομεν, ὅτι καὶ ἑκατέρα τῶν ΗΘ, ΗΚ ἑκατέρα τῶν ΖΗ, ΗΕ ἐστιν ἴση· αί τέσσαρες ἄρα αί ΗΕ, ΗΖ, ΗΘ, ΗΚ ἴσαι ἀλλήλαις [εἰσίν]. ό ἄρα χέντρω μέν τῷ Η διαστήματι δὲ ἑνὶ τῶν Ε, Ζ, Θ, Κ κύκλος γραφόμενος ήξει καὶ διὰ τῶν λοιπῶν σημείων· καὶ έφάψεται τῶν ΑΒ, ΒΓ, ΓΔ, ΔΑ εὐθειῶν διὰ τὸ ὀρθὰς εἶναι τὰς πρὸς τοῖς  $\mathbf{E}, \mathbf{Z}, \Theta, \mathbf{K}$  γωνίας· εἰ γὰρ τεμεῖ ὁ κύκλος τὰς ΑΒ, ΒΓ, ΓΔ, ΔΑ, ή τῆ διαμέτρω τοῦ κύκλου πρὸς ὀρθὰς ἀπ᾽ ἄχρας ἀγομένη ἐντὸς πεσεῖται τοῦ χύχλου· ὅπερ ἄτοπον έδείχθη. οὐκ ἄρα ὁ κέντρῳ τῷ Η διαστήματι δὲ ἑνὶ τῶν Ε, Ζ, Θ, Κ κύκλος γραφόμενος τεμεῖ τὰς ΑΒ, ΒΓ, ΓΔ, ΔΑ εύθείας. ἐφάψεται ἄρα αὐτῶν καὶ ἔσται ἐγγεγραμμένος εἰς τὸ ΑΒΓΔ τετράγωνον.

Εἰς ἄρα τὸ δοθὲν τετράγωνον κύκλος ἐγγέγραπται· ὅπερ ἔδει ποιῆσαι.


#### θ'.

Περὶ τὸ δοθὲν τετράγωνον χύχλον περιγράψαι.

Έστω τὸ δοθὲν τετράγωνον τὸ ΑΒΓΔ· δεῖ δὴ περὶ τὸ ΑΒΓΔ τετράγωνον κύκλον περιγράψαι.

#### **Proposition 8**

To inscribe a circle in a given square. Let the given square be ABCD. So it is required to inscribe a circle in square ABCD.



Let AD and AB each have been cut in half at points Eand F (respectively) [Prop. 1.10]. And let EH have been drawn through E, parallel to either of AB or CD, and let FK have been drawn through F, parallel to either of ADor BC [Prop. 1.31]. Thus, AK, KB, AH, HD, AG, GC, BG, and GD are each parallelograms, and their opposite sides [are] manifestly equal [Prop. 1.34]. And since AD is equal to AB, and AE is half of AD, and AF half of AB, AE (is) thus also equal to AF. So that the opposite (sides are) also (equal). Thus, FG (is) also equal to GE. So, similarly, we can also show that each of GH and GKis equal to each of FG and GE. Thus, the four (straightlines) GE, GF, GH, and GK [are] equal to one another. Thus, the circle drawn with center G, and radius one of E, F, H, or K, will also go through the remaining points. And it will touch the straight-lines AB, BC, CD, and DA, on account of the angles at E, F, H, and K being right-angles. For if the circle cuts AB, BC, CD, or DA, then a (straight-line) drawn at right-angles to a diameter of the circle, from its extremity, will fall inside the circle. The very thing was shown (to be) absurd [Prop. 3.16]. Thus, the circle drawn with center G, and radius one of E, F, H, or K, does not cut the straight-lines AB, BC, CD, or DA. Thus, it will touch them, and will have been inscribed in the square *ABCD*.


Thus, a circle has been inscribed in the given square. (Which is) the very thing it was required to do.

# **Proposition 9**

To circumscribe a circle about a given square.

Let ABCD be the given square. So it is required to circumscribe a circle about square ABCD.

Έπιζευχθεΐσαι γὰρ αί ΑΓ, ΒΔ τεμνέτωσαν ἀλλήλας κατὰ τὸ Ε.




Καὶ ἐπεὶ ἴση ἐστὶν ἡ ΔΑ τῆ ΑΒ, κοινὴ δὲ ἡ ΑΓ, δύο δή αί ΔΑ, ΑΓ δυσὶ ταῖς ΒΑ, ΑΓ ἴσαι εἰσίν καὶ βάσις ἡ ΔΓ βάσει τῆ ΒΓ ἴση· γωνία ἄρα ἡ ὑπὸ ΔΑΓ γωνία τῆ ὑπὸ ΒΑΓ ἴση ἐστίν· ἡ ἄρα ὑπὸ ΔΑΒ γωνία δίχα τέτμηται ὑπὸ τῆς ΑΓ. ὑμοίως δὴ δείξομεν, ὅτι καὶ ἑκάστη τῶν ὑπὸ ΑΒΓ, ΒΓΔ, ΓΔΑ δίχα τέτμηται ὑπὸ τῶν ΑΓ, ΔΒ εὐθειῶν. καὶ έπει ἴση ἐστιν ἡ ὑπὸ ΔΑΒ γωνία τῆ ὑπὸ ΑΒΓ, καί ἐστι τῆς μὲν ὑπὸ ΔΑΒ ἡμίσεια ἡ ὑπὸ ΕΑΒ, τῆς δὲ ὑπὸ ΑΒΓ ήμίσεια ή ὑπὸ EBA, καὶ ή ὑπὸ EAB ἄρα τῆ ὑπὸ EBA ἐστιν ἴση· ὥστε καὶ πλευρὰ ἡ ΕΑ τῆ ΕΒ ἐστιν ἴση. ὁμοίως δὴ δείξομεν, ὄτι καὶ ἑκατέρα τῶν ΕΑ, ΕΒ [εὐθειῶν] ἑκατέρα τῶν ΕΓ, ΕΔ ἴση ἐστίν. αἱ τέσσαρες ἄρα αἱ ΕΑ, ΕΒ, ΕΓ,  $\mathbf{E}\Delta$  ἴσαι ἀλλήλαις εἰσίν. ὁ ἄρα κέντρω τῶ  $\mathbf{E}$  καὶ διαστήματι ένὶ τῶν Α, Β, Γ, Δ κύκλος γραφόμενος ἤξει καὶ διὰ τῶν λοιπῶν σημείων καὶ ἔσται περιγεγραμμένος περὶ τὸ ΑΒΓΔ τετράγωνον. περιγεγράφθω ὡς ὁ ΑΒΓΔ.

Περὶ τὸ δοθὲν ἄρα τετράγωνον κύκλος περιγέγραπται· ὅπερ ἔδει ποιῆσαι.

# ι΄.

Ίσοσκελὲς τρίγωνον συστήσασθαι ἔχον ἑκατέραν τῶν πρὸς τῆ βάσει γωνιῶν διπλασίονα τῆς λοιπῆς.

Έχχείσθω τις εύθεῖα ἡ AB, καὶ τετμήσθω κατὰ τὸ Γ σημεῖον, ὥστε τὸ ὑπὸ τῶν AB, ΒΓ περιεχόμενον ὀρθογώνιον ἴσον εἶναι τῷ ἀπὸ τῆς ΓΑ τετραγώνω· καὶ κέντρω τῷ Α καὶ διαστήματι τῷ AB κύκλος γεγράφθω ὁ BΔΕ, καὶ ἐνηρμόσθω εἰς τὸν BΔΕ κύκλον τῆ ΑΓ εὐθεία μὴ μείζονι οὖση τῆς τοῦ BΔΕ κύκλου διαμέτρου ἴση εὐθεῖα ἡ BΔ· καὶ ἐπεζεύχθωσαν αἱ ΑΔ, ΔΓ, καὶ περιγεγράφθω περὶ τὸ ΑΓΔ τρίγωνον κύκλος ὁ ΑΓΔ. AC and BD being joined, let them cut one another at E.




And since DA is equal to AB, and AC (is) common, the two (straight-lines) DA, AC are thus equal to the two (straight-lines) BA, AC. And the base DC (is) equal to the base BC. Thus, angle DAC is equal to angle BAC[Prop. 1.8]. Thus, the angle DAB has been cut in half by AC. So, similarly, we can show that ABC, BCD, and CDA have each been cut in half by the straight-lines ACand DB. And since angle DAB is equal to ABC, and EAB is half of DAB, and EBA half of ABC, EAB is thus also equal to EBA. So that side EA is also equal to EB [Prop. 1.6]. So, similarly, we can show that each of the [straight-lines] EA and EB are also equal to each of EC and ED. Thus, the four (straight-lines) EA, EB, EC, and ED are equal to one another. Thus, the circle drawn with center E, and radius one of A, B, C, or D, will also go through the remaining points, and will have been circumscribed about the square ABCD. Let it have been (so) circumscribed, like *ABCD* (in the figure).

Thus, a circle has been circumscribed about the given square. (Which is) the very thing it was required to do.

#### **Proposition 10**


To construct an isosceles triangle having each of the angles at the base double the remaining (angle).

Let some straight-line AB be taken, and let it have been cut at point C so that the rectangle contained by AB and BC is equal to the square on CA [Prop. 2.11]. And let the circle BDE have been drawn with center A, and radius AB. And let the straight-line BD, equal to the straight-line AC, being not greater than the diameter of circle BDE, have been inserted into circle BDE[Prop. 4.1]. And let AD and DC have been joined. And let the circle ACD have been circumscribed about triangle ACD [Prop. 4.5].



Καὶ ἐπεὶ τὸ ὑπὸ τῶν ΑΒ, ΒΓ ἴσον ἐστὶ τῷ ἀπὸ τῆς ΑΓ, ἴση δὲ ἡ ΑΓ τῆ ΒΔ, τὸ ἄρα ὑπὸ τῶν ΑΒ, ΒΓ ἴσον έστι τῷ ἀπὸ τῆς ΒΔ. και ἐπει κύκλου τοῦ ΑΓΔ εἴληπταί τι σημεῖον ἐκτὸς τὸ Β, καὶ ἀπὸ τοῦ Β πρὸς τὸν ΑΓΔ κύκλον προσπεπτώχασι δύο εὐθεῖαι αἱ ΒΑ, ΒΔ, καὶ ἡ μὲν αὐτῶν τέμνει, ή δὲ προσπίπτει, χαί ἐστι τὸ ὑπὸ τῶν ΑΒ, ΒΓ ἴσον τῷ ἀπὸ τῆς ΒΔ, ἡ ΒΔ ἄρα ἐφάπτεται τοῦ ΑΓΔ κύκλου. ἐπεὶ ούν ἐφάπτεται μὲν ἡ ΒΔ, ἀπὸ δὲ τῆς κατὰ τὸ Δ ἐπαφῆς διῆχται ή  $\Delta \Gamma$ , ή ἄρα ὑπὸ  $B\Delta \Gamma$  γωνιά ἴση ἐστὶ τῆ ἐν τῷ έναλλὰξ τοῦ κύκλου τμήματι γωνία τῆ ὑπὸ ΔΑΓ. ἐπεὶ οὖν ίση ἐστὶν ἡ ὑπὸ ΒΔΓ τῇ ὑπὸ ΔΑΓ, κοινὴ προσκείσθω ἡ ύπὸ ΓΔΑ· ὅλη ἄρα ἡ ὑπὸ ΒΔΑ ἴση ἐστὶ δυσὶ ταῖς ὑπὸ ΓΔΑ, ΔΑΓ. ἀλλὰ ταῖς ὑπὸ ΓΔΑ, ΔΑΓ ἴση ἐστὶν ἡ ἐκτὸς ἡ ὑπὸ ΒΓΔ· καὶ ἡ ὑπὸ ΒΔΑ ἄρα ἴση ἐστὶ τῆ ὑπὸ ΒΓΔ. ἀλλὰ ἡ ύπὸ ΒΔΑ τῆ ὑπὸ ΓΒΔ ἐστιν ἴση, ἐπεὶ καὶ πλευρὰ ἡ ΑΔ τῆ ΑΒ ἐστιν ἴση· ὥστε καὶ ἡ ὑπὸ ΔΒΑ τῆ ὑπὸ ΒΓΔ ἐστιν ίση. αί τρεῖς ἄρα αί ὑπὸ ΒΔΑ, ΔΒΑ, ΒΓΑ ἴσαι ἀλλήλαις εἰσίν. καὶ ἐπεὶ ἴση ἐστὶν ἡ ὑπὸ ΔΒΓ γωνία τῆ ὑπὸ ΒΓΔ, ἴση ἐστὶ καὶ πλευρὰ ἡ <br/>  ${\rm B}\Delta$ πλευρῷ τῆ <br/>  $\Delta\Gamma.$  ἀλλὰ ἡ <br/>  ${\rm B}\Delta$  τῆ ΓΑ ὑπόκειται ἴση· καὶ ἡ ΓΑ ἄρα τῆ ΓΔ ἐστιν ἴση· ὥστε καὶ γωνία ἡ ὑπὸ ΓΔΑ γωνία τῆ ὑπὸ ΔΑΓ ἐστιν ἴση· αἱ ẳρα ύπὸ ΓΔΑ, ΔΑΓ τῆς ὑπὸ ΔΑΓ εἰσι διπλασίους. ἴση δὲ ἡ ύπὸ ΒΓΔ ταῖς ὑπὸ ΓΔΑ, ΔΑΓ· καὶ ἡ ὑπὸ ΒΓΔ ἄρα τῆς ὑπὸ ΓΑΔ ἐστι διπλῆ. ἴση δὲ ἡ ὑπὸ ΒΓΔ ἑκατέρα τῶν ὑπὸ ΒΔΑ, ΔΒΑ· καὶ ἑκατέρα ἄρα τῶν ὑπὸ ΒΔΑ, ΔΒΑ τῆς ὑπὸ ΔΑΒ έστι διπλη.

Ίσοσχελὲς ἄρα τρίγωνον συνέσταται τὸ ABΔ ἔχον ἑχατέραν τῶν πρὸς τῆ ΔΒ βάσει γωνιῶν διπλασίονα τῆς λοιπῆς: ὅπερ ἔδει ποιῆσαι.



And since the (rectangle contained) by AB and BCis equal to the (square) on AC, and AC (is) equal to BD, the (rectangle contained) by AB and BC is thus equal to the (square) on BD. And since some point Bhas been taken outside of circle ACD, and two straightlines BA and BD have radiated from B towards the circle ACD, and (one) of them cuts (the circle), and (the other) meets (the circle), and the (rectangle contained) by AB and BC is equal to the (square) on BD, BD thus touches circle ACD [Prop. 3.37]. Therefore, since BD touches (the circle), and DC has been drawn across (the circle) from the point of contact D, the angle BDC is thus equal to the angle DAC in the alternate segment of the circle [Prop. 3.32]. Therefore, since BDC is equal to DAC, let CDA have been added to both. Thus, the whole of BDA is equal to the two (angles) CDA and DAC. But, the external (angle) BCD is equal to CDAand DAC [Prop. 1.32]. Thus, BDA is also equal to BCD. But, BDA is equal to CBD, since the side AD is also equal to AB [Prop. 1.5]. So that DBA is also equal to BCD. Thus, the three (angles) BDA, DBA, and BCD are equal to one another. And since angle DBC is equal to BCD, side BD is also equal to side DC [Prop. 1.6]. But, BD was assumed (to be) equal to CA. Thus, CAis also equal to CD. So that angle CDA is also equal to angle DAC [Prop. 1.5]. Thus, CDA and DAC is double DAC. But BCD (is) equal to CDA and DAC. Thus, BCD is also double CAD. And BCD (is) equal to to each of BDA and DBA. Thus, BDA and DBA are each double DAB.


Thus, the isosceles triangle ABD has been constructed having each of the angles at the base BD double the remaining (angle). (Which is) the very thing it was required to do.


ια'.

Εἰς τὸν δοθέντα κύκλον πεντάγωνον ἰσόπλευρόν τε καὶ

# Proposition 11

To inscribe an equilateral and equiangular pentagon





Έστω ὁ δοθεὶς κύκλος ὁ ΑΒΓΔΕ· δεῖ δὴ εἰς τὸν ΑΒΓΔΕ κύκλον πεντάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον ἐγγράψαι.


Έχχείσθω τρίγωνον ἰσοσχελὲς τὸ ΖΗΘ διπλασίονα ἔχον ἑχατέραν τῶν πρὸς τοῖς Η, Θ γωνιῶν τῆς πρὸς τῷ Ζ, καὶ ἐγγεγράφθω εἰς τὸν ΑΒΓΔΕ χύχλον τῷ ΖΗΘ τριγώνῳ ἰσογώνιον τρίγωνον τὸ ΑΓΔ, ὥστε τῆ μὲν πρὸς τῷ Ζ γωνία ἴσην εἶναι τὴν ὑπὸ ΓΑΔ, ἑχατέραν δὲ τῶν πρὸς τοῖς Η, Θ ἴσην ἑχατέρα τῶν ὑπὸ ΑΓΔ, ΓΔΑ· καὶ ἑχατέρα ἄρα τῶν ὑπὸ ΑΓΔ, ΓΔΑ τῆς ὑπὸ ΓΑΔ ἐστι διπλῆ. τετμήσθω δὴ ἑχατέρα τῶν ὑπὸ ΑΓΔ, ΓΔΑ δίχα ὑπὸ ἑχατέρας τῶν ΓΕ, ΔΒ εὐθειῶν, καὶ ἐπεζεύχθωσαν αἱ ΑΒ, ΒΓ, ΔΕ, ΕΑ.

Έπεὶ οὖν ἑκατέρα τῶν ὑπὸ ΑΓΔ, ΓΔΑ γωνιῶν διπλασίων ἐστὶ τῆς ὑπὸ ΓΑΔ, καὶ τετμημέναι εἰσὶ δίχα ὑπὸ τῶν ΓΕ,  $\Delta B$  εὐθειῶν, αἱ πέντε ἄρα γωνίαι αἱ ὑπὸ  $\Delta A \Gamma$ , ΑΓΕ, ΕΓΔ, ΓΔΒ, ΒΔΑ ἴσαι ἀλλήλαις εἰσίν. αἱ δὲ ἴσαι γωνίαι ἐπὶ ἴσων περιφερειῶν βεβήχασιν· αἱ πέντε ἄρα περιφέρειαι αί ΑΒ, ΒΓ, ΓΔ, ΔΕ, ΕΑ ίσαι ἀλλήλαις εἰσίν. ὑπὸ δὲ τὰς ἴσας περιφερείας ἴσαι εὐθεῖαι ὑποτείνουσιν· αἱ πέντε άρα εὐθεῖαι αἱ ΑΒ, ΒΓ, ΓΔ, ΔΕ, ΕΑ ἴσαι ἀλλήλαις εἰσίν ίσόπλευρον ἄρα ἐστὶ τὸ ΑΒΓΔΕ πεντάγωνον. λέγω δή, ŏτι καὶ ἰσογώνιον. ἐπεὶ γὰρ ἡ AB περιφέρεια τῆ ΔΕ περιφερεία ἐστίν ἴση, κοινὴ προσκείσθω ἡ ΒΓΔ· ὅλη ἄρα ἡ ΑΒΓΔ περιφέρια ὅλη τῆ ΕΔΓΒ περιφερεία ἐστὶν ἴση. καὶ βέβηχεν ἐπὶ μὲν τῆς ΑΒΓΔ περιφερείας γωνία ἡ ὑπὸ ΑΕΔ, έπι δὲ τῆς ΕΔΓΒ περιφερείας γωνία ἡ ὑπὸ ΒΑΕ· καὶ ἡ ὑπὸ ΒΑΕ ἄρα γωνία τῆ ὑπὸ ΑΕΔ ἐστιν ἴση. διὰ τὰ αὐτὰ δὴ καὶ ἑκάστη τῶν ὑπὸ ΑΒΓ, ΒΓΔ, ΓΔΕ γωνιῶν ἑκατέρα τῶν ύπὸ ΒΑΕ, ΑΕΔ ἐστιν ἴση· ἰσογώνιον ἄρα ἐστὶ τὸ ΑΒΓΔΕ πεντάγωνον. έδείχθη δὲ καὶ ἰσόπλευρον.

Εἰς ἄρα τὸν δοθέντα κύκλον πεντάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον ἐγγέγραπται· ὅπερ ἔδει ποιῆσαι.

# ıβ'.

Περὶ τὸν δοθέντα κύκλον πεντάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον περιγράψαι. in a given circle.



Let *ABCDE* be the given circle. So it is required to inscribed an equilateral and equiangular pentagon in circle *ABCDE*.


Let the the isosceles triangle FGH be set up having each of the angles at G and H double the (angle) at F [Prop. 4.10]. And let triangle ACD, equiangular to FGH, have been inscribed in circle ABCDE, such that CAD is equal to the angle at F, and the (angles) at G and H (are) equal to ACD and CDA, respectively [Prop. 4.2]. Thus, ACD and CDA are each double CAD. So let ACD and CDA have been cut in half by the straight-lines CE and DB, respectively [Prop. 1.9]. And let AB, BC, DE and EA have been joined.

Therefore, since angles ACD and CDA are each double CAD, and are cut in half by the straight-lines CE and DB, the five angles DAC, ACE, ECD, CDB, and BDA are thus equal to one another. And equal angles stand upon equal circumferences [Prop. 3.26]. Thus, the five circumferences AB, BC, CD, DE, and EA are equal to one another [Prop. 3.29]. Thus, the pentagon ABCDE is equilateral. So I say that (it is) also equiangular. For since the circumference AB is equal to the circumference DE, let BCD have been added to both. Thus, the whole circumference ABCD is equal to the whole circumference EDCB. And the angle AED stands upon circumference ABCD, and angle BAE upon circumference EDCB. Thus, angle BAE is also equal to AED[Prop. 3.27]. So, for the same (reasons), each of the angles ABC, BCD, and CDE is also equal to each of BAEand AED. Thus, pentagon ABCDE is equiangular. And it was also shown (to be) equilateral.

Thus, an equilateral and equiangular pentagon has been inscribed in the given circle. (Which is) the very thing it was required to do.

## Proposition 12


To circumscribe an equilateral and equiangular pentagon about a given circle.



Έστω ὁ δοθεὶς κύκλος ὁ ΑΒΓΔΕ· δεῖ δὲ περὶ τὸν ΑΒΓΔΕ κύκλον πεντάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον περιγράψαι.

Νενοήσθω τοῦ ἐγγεγραμμένου πενταγώνου τῶν γωνιῶν σημεῖα τὰ Α, Β, Γ, Δ, Ε, ώστε ἴσας εἶναι τὰς ΑΒ, ΒΓ, ΓΔ, ΔΕ, ΕΑ περιφερείας· καὶ διὰ τῶν Α, Β, Γ, Δ, Ε ἤχθωσαν τοῦ κύκλου ἐφαπτόμεναι αἱ ΗΘ, ΘΚ, ΚΛ, ΛΜ, ΜΗ, καὶ εἰλήφθω τοῦ ΑΒΓΔΕ κύκλου κέντρον τὸ Ζ, καὶ ἐπεζεύχθωσαν αἰ ΖΒ, ΖΚ, ΖΓ, ΖΛ, ΖΔ.

Καὶ ἐπεὶ ἡ μὲν ΚΛ εὐθεῖα ἐφάπτεται τοῦ ΑΒΓΔΕ κατὰ τὸ Γ, ἀπὸ δὲ τοῦ Ζ κέντρου ἐπὶ τὴν κατὰ τὸ Γ ἐπαφὴν ἐπέζευχται ή ZΓ, ή ZΓ ἄρα χάθετός ἐστιν ἐπὶ τὴν KΛ· ὀρθή άρα ἐστὶν ἑχατέρα τῶν πρὸς τῷ Γ γωνιῶν. διὰ τὰ αὐτὰ δὴ καὶ αἱ πρὸς τοῖς B,  $\Delta$  σημείοις γωνίαι ὀρθαί εἰσιν. καὶ ἐπεὶ όρθή ἐστιν ἡ ὑπὸ ΖΓΚ γωνία, τὸ ἄρα ἀπὸ τῆς ΖΚ ἴσον ἐστὶ τοῖς ἀπὸ τῶν ΖΓ, ΓΚ. διὰ τὰ αὐτὰ δὴ καὶ τοῖς ἀπὸ τῶν ΖΒ, ΒΚ ἴσον ἐστὶ τὸ ἀπὸ τῆς ΖΚ· ὥστε τὰ ἀπὸ τῶν ΖΓ, ΓΚ τοῖς ἀπὸ τῶν ΖΒ, ΒΚ ἐστιν ἴσα, ῶν τὸ ἀπὸ τῆς ΖΓ τῷ ἀπὸ τῆς ΖΒ ἐστιν ἴσον· λοιπὸν ἄρα τὸ ἀπὸ τῆς ΓΚ τῷ ἀπὸ τῆς ΒΚ ἐστιν ἴσον. ἴση ἄρα ἡ ΒΚ τῇ ΓΚ. καὶ ἐπεὶ ἴση ἐστὶν ή ZB τῆ ZΓ, καὶ κοινὴ ή ZK, δύο δὴ αἱ BZ, ZK δυσὶ ταῖς ΓΖ, ΖΚ ἴσαι εἰσίν· καὶ βάσις ἡ ΒΚ βάσει τῆ ΓΚ [ἐστιν] ἴση· γωνία ἄρα ή μέν ὑπὸ ΒΖΚ [γωνία] τῆ ὑπὸ ΚΖΓ ἐστιν ἴση· ή δὲ ὑπὸ BKZ τῆ ὑπὸ ZKΓ· διπλῆ ἄρα ἡ μὲν ὑπὸ BZΓ τῆς ύπὸ ΚΖΓ, ἡ δὲ ὑπὸ ΒΚΓ τῆς ὑπὸ ΖΚΓ. διὰ τὰ αὐτὰ δὴ καὶ ή μεν ύπο ΓΖΔ τῆς ὑπο ΓΖΛ ἐστι διπλῆ, ή δε ὑπο ΔΛΓ τῆς ὑπὸ ΖΑΓ. καὶ ἐπεὶ ἴση ἐστὶν ἡ ΒΓ περιφέρεια τῆ ΓΔ, ἴση ἐστὶ καὶ γωνία ἡ ὑπὸ ΒΖΓ τῆ ὑπὸ ΓΖΔ. καί ἐστιν ἡ μέν ὑπὸ ΒΖΓ τῆς ὑπὸ ΚΖΓ διπλῆ, ἡ δὲ ὑπὸ ΔΖΓ τῆς ὑπὸ ΛΖΓ· ἴση ἄρα καὶ ἡ ὑπὸ ΚΖΓ τῇ ὑπὸ ΛΖΓ· ἐστὶ δὲ καὶ ἡ ύπὸ ΖΓΚ γωνία τῆ ὑπὸ ΖΓΛ ἴση. δύο δὴ τρίγωνά ἐστι τὰ ΖΚΓ, ΖΛΓ τὰς δύο γωνίας ταῖς δυσὶ γωνίαις ἴσας ἔχοντα καὶ μίαν πλευρὰν μιῷ πλευρῷ ἴσην κοινὴν αὐτῶν τὴν ΖΓ· καὶ τὰς λοιπὰς ἄρα πλευρὰς ταῖς λοιπαῖς πλευραῖς ἴσας ἕξει καὶ τὴν λοιπὴν γωνίαν τῆ λοιπῆ γωνία. ἴση ἄρα ἡ μὲν ΚΓ εύθεῖα τῆ ΓΛ, ἡ δὲ ὑπὸ ΖΚΓ γωνία τῆ ὑπὸ ΖΛΓ. καὶ ἐπεὶ ἴση έστιν ή ΚΓ τῆ ΓΛ, διπλῆ ἄρα ή ΚΛ τῆς ΚΓ. διὰ τὰ αὐτα δὴ δειχθήσεται καὶ ἡ ΘΚ τῆς ΒΚ διπλῆ. καί ἐστιν ἡ ΒΚ τῆ ΚΓ ίση καὶ ἡ ΘΚ ἄρα τῆ ΚΛ ἐστιν ἴση. ὁμοίως δὴ δειχθήσεται



Let *ABCDE* be the given circle. So it is required to circumscribe an equilateral and equiangular pentagon about circle *ABCDE*.

Let A, B, C, D, and E have been conceived as the angular points of a pentagon having been inscribed (in circle ABCDE) [Prop. 3.11], such that the circumferences AB, BC, CD, DE, and EA are equal. And let GH, HK, KL, LM, and MG have been drawn through (points) A, B, C, D, and E (respectively), touching the circle.<sup>†</sup> And let the center F of the circle ABCDE have been found [Prop. 3.1]. And let FB, FK, FC, FL, and FD have been joined.

And since the straight-line KL touches (circle) ABCDE at C, and FC has been joined from the center F to the point of contact C, FC is thus perpendicular to KL[Prop. 3.18]. Thus, each of the angles at C is a rightangle. So, for the same (reasons), the angles at B and D are also right-angles. And since angle FCK is a rightangle, the (square) on FK is thus equal to the (sum of the squares) on FC and CK [Prop. 1.47]. So, for the same (reasons), the (square) on FK is also equal to the (sum of the squares) on FB and BK. So that the (sum of the squares) on FC and CK is equal to the (sum of the squares) on FB and BK, of which the (square) on FC is equal to the (square) on FB. Thus, the remaining (square) on CK is equal to the remaining (square) on BK. Thus, BK (is) equal to CK. And since FB is equal to FC, and FK (is) common, the two (straightlines) BF, FK are equal to the two (straight-lines) CF, FK. And the base BK [is] equal to the base CK. Thus, angle BFK is equal to [angle] KFC [Prop. 1.8]. And BKF (is equal) to FKC [Prop. 1.8]. Thus, BFC (is) double KFC, and BKC (is double) FKC. So, for the same (reasons), CFD is also double CFL, and DLC (is also double) FLC. And since circumference BC is equal to CD, angle BFC is also equal to CFD [Prop. 3.27]. And *BFC* is double *KFC*, and *DFC* (is double) *LFC*. Thus, KFC is also equal to LFC. And angle FCK is also equal to FCL. So, FKC and FLC are two triangles havκαὶ ἐκάστη τῶν ΘΗ, ΗΜ, ΜΛ ἑκατέρα τῶν ΘΚ, ΚΛ ἴση· ἰσόπλευρον ἄρα ἐστὶ τὸ ΗΘΚΛΜ πεντάγωνον. λέγω δή, ὅτι καὶ ἰσογώνιον. ἐπεὶ γὰρ ἴση ἐστὶν ἡ ὑπὸ ΖΚΓ γωνία τῆ ὑπὸ ΖΛΓ, καὶ ἐδείχθη τῆς μὲν ὑπὸ ΖΚΓ διπλῆ ἡ ὑπὸ ΘΚΛ, τῆς δὲ ὑπὸ ΖΛΓ διπλῆ ἡ ὑπὸ ΚΛΜ, καὶ ἡ ὑπὸ ΘΚΛ ἄρα τῆ ὑπὸ ΚΛΜ ἐστιν ἴση. ὑμοίως δὴ δειχθήσεται καὶ ἐκάστη τῶν ὑπὸ ΚΘΗ, ΘΗΜ, ΗΜΛ ἑκατέρα τῶν ὑπὸ ΘΚΛ, ΚΛΜ ἴση· αἱ πέντε ἄρα γωνίαι αἱ ὑπὸ ΗΘΚ, ΘΚΛ, ΚΛΜ, ΛΜΗ, ΜΗΘ ἴσαι ἀλλήλαις εἰσίν. ἰσογώνιον ἄρα ἐστὶ τὸ ΗΘΚΛΜ πεντάγωνον. ἑδείχθη δὲ καὶ ἰσόπλευρον, καὶ περιγέγραπται περὶ τὸν ΑΒΓΔΕ κύκλον.

[Περὶ τὸν δοθέντα ἄρα κύκλον πεντάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον περιγέγραπται]· ὅπερ ἔδει ποιῆσαι.


ing two angles equal to two angles, and one side equal to one side, (namely) their common (side) FC. Thus, they will also have the remaining sides equal to the (corresponding) remaining sides, and the remaining angle to the remaining angle [Prop. 1.26]. Thus, the straight-line KC (is) equal to CL, and the angle FKC to FLC. And since KC is equal to CL, KL (is) thus double KC. So, for the same (reasons), it can be shown that HK (is) also double BK. And BK is equal to KC. Thus, HK is also equal to KL. So, similarly, each of HG, GM, and MLcan also be shown (to be) equal to each of HK and KL. Thus, pentagon GHKLM is equilateral. So I say that (it is) also equiangular. For since angle FKC is equal to FLC, and HKL was shown (to be) double FKC, and KLM double FLC, HKL is thus also equal to KLM. So, similarly, each of KHG, HGM, and GML can also be shown (to be) equal to each of HKL and KLM. Thus, the five angles GHK, HKL, KLM, LMG, and MGH are equal to one another. Thus, the pentagon GHKLM is equiangular. And it was also shown (to be) equilateral, and has been circumscribed about circle ABCDE.

[Thus, an equilateral and equiangular pentagon has been circumscribed about the given circle]. (Which is) the very thing it was required to do.

<sup>†</sup> See the footnote to Prop. 3.34.

# ıγ'.

Εἰς τὸ δοθὲν πεντάγωνον, ὅ ἐστιν ἰσόπλευρόν τε καὶ ἰσογώνιον, κύκλον ἐγγράψαι.




Έστω τὸ δοθὲν πεντάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον τὸ ΑΒΓΔΕ· δεῖ δὴ εἰς τὸ ΑΒΓΔΕ πεντάγωνον κύκλον ἐγγράψαι.

Τετμήσθω γὰρ ἑχατέρα τῶν ὑπὸ ΒΓΔ, ΓΔΕ γωνιῶν δίχα ὑπὸ ἑχατέρας τῶν ΓΖ, ΔΖ εὐθειῶν· καὶ ἀπὸ τοῦ Ζ σημείου, καθ' ὅ συμβάλλουσιν ἀλλήλαις αἱ ΓΖ, ΔΖ εὐθεῖαι, ἐπεζεύχθωσαν αἱ ΖΒ, ΖΑ, ΖΕ εὐθεῖαι. καὶ ἐπεὶ ἴση ἐστὶν

# **Proposition 13**

To inscribe a circle in a given pentagon, which is equilateral and equiangular.



Let *ABCDE* be the given equilateral and equiangular pentagon. So it is required to inscribe a circle in pentagon *ABCDE*.

For let angles BCD and CDE have each been cut in half by each of the straight-lines CF and DF (respectively) [Prop. 1.9]. And from the point F, at which the straight-lines CF and DF meet one another, let the

ή ΒΓ τῆ ΓΔ, κοινή δὲ ή ΓΖ, δύο δὴ αἱ ΒΓ, ΓΖ δυσὶ ταῖς ΔΓ, ΓΖ ίσαι εἰσίν και γωνία ή ὑπὸ ΒΓΖ γωνία τῆ ὑπὸ ΔΓΖ [ἐστιν] ἴση· βάσις ἄρα ἡ ΒΖ βάσει τῆ ΔΖ ἐστιν ἴση, καὶ τὸ ΒΓΖ τρίγωνον τῷ ΔΓΖ τριγώνῳ ἐστιν ἴσον, καὶ αἱ λοιπαὶ γωνίαι ταῖς λοιπαῖς γωνίαις ἴσαι ἔσονται, ὑφ' ὡς αἱ ίσαι πλευραὶ ὑποτείνουσιν· ἴση ἄρα ἡ ὑπὸ ΓΒΖ γωνία τῆ ύπὸ ΓΔΖ. καὶ ἐπεὶ διπλῆ ἐστιν ἡ ὑπὸ ΓΔΕ τῆς ὑπὸ ΓΔΖ, ίση δὲ ἡ μὲν ὑπὸ ΓΔΕ τῆ ὑπὸ ΑΒΓ, ἡ δὲ ὑπὸ ΓΔΖ τῆ ὑπὸ ΓΒΖ, καὶ ἡ ὑπὸ ΓΒΑ ἄρα τῆς ὑπὸ ΓΒΖ ἐστι διπλῆ· ἴση άρα ἡ ὑπὸ ABZ γωνία τῆ ὑπὸ ZBΓ· ἡ ἄρα ὑπὸ ABΓ γωνία δίχα τέτμηται ὑπὸ τῆς ΒΖ εὐθείας. ὑμοίως δὴ δειχθήσεται, ότι καὶ ἑκατέρα τῶν ὑπὸ ΒΑΕ, ΑΕΔ δίχα τέτμηται ὑπὸ έκατέρας τῶν ΖΑ, ΖΕ εὐθειῶν. ἤχθωσαν δὴ ἀπὸ τοῦ Ζ σημείου ἐπὶ τὰς ΑΒ, ΒΓ, ΓΔ, ΔΕ, ΕΑ εὐθείας κάθετοι αί ΖΗ, ΖΘ, ΖΚ, ΖΛ, ΖΜ. καὶ ἐπεὶ ἴση ἐστὶν ἡ ὑπὸ ΘΓΖ γωνία τῆ ὑπὸ ΚΓΖ, ἐστὶ δὲ καὶ ὀρθὴ ἡ ὑπὸ ΖΘΓ [ὀρθῆ] τῆ ὑπὸ ΖΚΓ ἴση, δύο δὴ τρίγωνά ἐστι τὰ ΖΘΓ, ΖΚΓ τὰς δύο γωνίας δυσί γωνίαις ίσας ἔχοντα καὶ μίαν πλευράν μιῷ πλευρα ίσην κοινήν αὐτῶν τήν ΖΓ ὑποτείνουσαν ὑπὸ μίαν τῶν ἴσων γωνιῶν· καὶ τὰς λοιπὰς ἄρα πλευρὰς ταῖς λοιπαῖς πλευραῖς ἴσας ἕξει· ἴση ἄρα ἡ ΖΘ κάθετος τὴ ΖΚ καθέτω. όμοίως δη δειχθήσεται, ὄτι καὶ ἑκάστη τῶν ΖΛ, ΖΜ, ΖΗ έκατέρα τῶν ΖΘ, ΖΚ ἴση ἐστίν· αἱ πέντε ἄρα εὐθεῖαι αἱ ΖΗ, ZΘ, ZK, ZΛ, ZM ἴσαι ἀλλήλαις εἰσίν. ὁ ἄρα κέντρω τῶ Ζ διαστήματι δὲ ἑνὶ τῶν Η, Θ, Κ, Λ, Μ κύκλος γραφόμενος ΓΔ, ΔΕ, ΕΑ εύθειῶν διὰ τὸ ὀρθὰς εἶναι τὰς πρὸς τοῖς Η,  $\Theta$ , K, Λ, M σημείοις γωνίας. εἰ γὰρ οὐκ ἐφάψεται αὐτῶν, άλλὰ τεμεῖ αὐτάς, συμβήσεται τὴν τῆ διαμέτρω τοῦ κύκλου πρὸς ὀρθὰς ἀπ' ἄχρας ἀγομένην ἐντὸς πίπτειν τοῦ χύχλου. ὅπερ ἄτοπον ἐδείχθη. οὐκ ἄρα ὁ κέντρ $\omega$  τ $\widetilde{\omega} ext{ Z}$  διαστήματι δὲ ένὶ τῶν Η, Θ, Κ, Λ, Μ σημείων γραφόμενος κύκλος τεμεῖ τὰς ΑΒ, ΒΓ, ΓΔ, ΔΕ, ΕΑ εὐθείας ἐφάψεται ἄρα αὐτῶν. γεγράφθω ὡς ὁ ΗΘΚΛΜ.

Εἰς ἄρα τὸ δοθὲν πεντάγωνον, ὅ ἐστιν ἰσόπλευρόν τε καὶ ἰσογώνιον, κύκλος ἐγγέγραπται· ὅπερ ἔδει ποιῆσαι.

ιδ'.

Περὶ τὸ δοθὲν πεντάγωνον, ὅ ἐστιν ἰσόπλευρόν τε καὶ ἰσογώνιον, κύκλον περιγράψαι.

Έστω τὸ δοθὲν πεντάγωνον, ὅ ἐστιν ἰσόπλευρόν τε καὶ

straight-lines FB, FA, and FE have been joined. And since BC is equal to CD, and CF (is) common, the two (straight-lines) BC, CF are equal to the two (straightlines) DC, CF. And angle BCF [is] equal to angle DCF. Thus, the base BF is equal to the base DF, and triangle BCF is equal to triangle DCF, and the remaining angles will be equal to the (corresponding) remaining angles which the equal sides subtend [Prop. 1.4]. Thus, angle CBF (is) equal to CDF. And since CDEis double CDF, and CDE (is) equal to ABC, and CDFto CBF, CBA is thus also double CBF. Thus, angle ABF is equal to FBC. Thus, angle ABC has been cut in half by the straight-line BF. So, similarly, it can be shown that *BAE* and *AED* have been cut in half by the straight-lines FA and FE, respectively. So let FG, FH, FK, FL, and FM have been drawn from point F, perpendicular to the straight-lines AB, BC, CD, DE, and EA (respectively) [Prop. 1.12]. And since angle HCFis equal to KCF, and the right-angle FHC is also equal to the [right-angle] FKC, FHC and FKC are two triangles having two angles equal to two angles, and one side equal to one side, (namely) their common (side) FC, subtending one of the equal angles. Thus, they will also have the remaining sides equal to the (corresponding) remaining sides [Prop. 1.26]. Thus, the perpendicular FH (is) equal to the perpendicular FK. So, similarly, it can be shown that FL, FM, and FG are each equal to each of FH and FK. Thus, the five straight-lines FG, FH, FK, FL, and FM are equal to one another. Thus, the circle drawn with center F, and radius one of G, H, K, L, or M, will also go through the remaining points, and will touch the straight-lines AB, BC, CD, DE, and EA, on account of the angles at points G, H, K, L, and *M* being right-angles. For if it does not touch them, but cuts them, it follows that a (straight-line) drawn at rightangles to the diameter of the circle, from its extremity, falls inside the circle. The very thing was shown (to be) absurd [Prop. 3.16]. Thus, the circle drawn with center F, and radius one of G, H, K, L, or M, does not cut the straight-lines AB, BC, CD, DE, or EA. Thus, it will touch them. Let it have been drawn, like GHKLM (in the figure).


Thus, a circle has been inscribed in the given pentagon which is equilateral and equiangular. (Which is) the very thing it was required to do.

# Proposition 14

To circumscribe a circle about a given pentagon which is equilateral and equiangular.

Let ABCDE be the given pentagon which is equilat-

ίσογώνιον, τὸ ΑΒΓΔΕ· δεῖ δὴ περὶ τὸ ΑΒΓΔΕ πεντάγωνον χύχλον περιγράψαι.



Τετμήσθω δη έχατέρα τῶν ὑπὸ ΒΓΔ, ΓΔΕ γωνιῶν δίχα ὑπὸ ἑκατέρας τῶν ΓΖ, ΔΖ, καὶ ἀπὸ τοῦ Ζ σημείου, καθ' δ συμβάλλουσιν αί εύθεῖαι, ἐπὶ τὰ Β, Α, Ε σημεῖα έπεζεύχθωσαν εὐθεῖαι αί ZB, ZA, ZE. ὁμοίως δὴ τῷ πρὸ τούτου δειχθήσεται, ὄτι καὶ ἑκάστη τῶν ὑπὸ ΓΒΑ, ΒΑΕ, ΑΕΔ γωνιῶν δίχα τέτμηται ὑπὸ ἑκάστης τῶν ΖΒ, ΖΑ, ΖΕ εὐθειῶν. καὶ ἐπεὶ ἴση ἐστὶν ἡ ὑπὸ ΒΓΔ γωνία τῆ ὑπὸ ΓΔΕ, καί ἐστι τῆς μὲν ὑπὸ ΒΓΔ ἡμίσεια ἡ ὑπὸ ΖΓΔ, τῆς δὲ ὑπὸ ΓΔΕ ἡμίσεια ἡ ὑπὸ ΓΔΖ, καὶ ἡ ὑπὸ ΖΓΔ ἄρα τῃ ὑπὸ ΖΔΓ έστιν ἴση· ὥστε καὶ πλευρ<br/>ὰ ή  ${\rm Z}\Gamma$ πλευρᾶ τῆ  ${\rm Z}\Delta$ ἐστιν ἴση. όμοίως δη δειχθήσεται, ὄτι και ἑκάστη τῶν ΖΒ, ΖΑ, ΖΕ έκατέρα τῶν ZΓ, ZΔ ἐστιν ἴση· αἱ πέντε ἄρα εύθεῖαι αἱ ZA, ZB, Z $\Gamma$ , Z $\Delta$ , ZE ĭσαι ἀλλήλαις εἰσίν. ὀ ἄρα κέντρω τῷ Ζ καὶ διαστήματι ἑνὶ τῶν ΖΑ, ΖΒ, ΖΓ, ΖΔ, ΖΕ κύκλος γραφόμενος ἥξει καὶ διὰ τῶν λοιπῶν σημείων καὶ ἔσται περιγεγραμμένος. περιγεγράφθω καὶ ἔστω ὁ ΑΒΓΔΕ.

Περὶ ἄρα τὸ δοθὲν πεντάγωνον, ὅ ἐστιν ἰσόπλευρόν τε καὶ ἰσογώνιον, κύκλος περιγέγραπται· ὅπερ ἔδει ποιῆσαι.


# ιε΄.

Εἰς τὸν δοθέντα κύκλον ἑξάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον ἐγγράψαι.

Έστω ὁ δοθεἰς κύκλος ὁ ΑΒΓΔΕΖ· δεῖ δὴ εἰς τὸν ΑΒΓΔΕΖ κύκλον ἑξάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον ἐγγράψαι.

Ήχθω τοῦ ΑΒΓΔΕΖ κύκλου διάμετρος ἡ ΑΔ, καὶ εἰλήφθω τὸ κέντρον τοῦ κύκλου τὸ Η, καὶ κέντρῳ μὲν τῷ Δ διαστήματι δὲ τῷ ΔΗ κύκλος γεγράφθω ὁ ΕΗΓΘ, καὶ ἐπιζευχθεῖσαι αἱ ΕΗ, ΓΗ διήχθωσαν ἐπὶ τὰ Β, Ζ σημεῖα, καὶ ἐπεζεύχθωσαν αἱ ΑΒ, ΒΓ, ΓΔ, ΔΕ, ΕΖ, ΖΑ· λέγω, ὅτι

eral and equiangular. So it is required to circumscribe a circle about the pentagon *ABCDE*.



So let angles BCD and CDE have been cut in half by the (straight-lines) CF and DF, respectively [Prop. 1.9]. And let the straight-lines FB, FA, and FE have been joined from point F, at which the straight-lines meet, to the points B, A, and E (respectively). So, similarly, to the (proposition) before this (one), it can be shown that angles CBA, BAE, and AED have also been cut in half by the straight-lines FB, FA, and FE, respectively. And since angle BCD is equal to CDE, and FCDis half of BCD, and CDF half of CDE, FCD is thus also equal to FDC. So that side FC is also equal to side FD [Prop. 1.6]. So, similarly, it can be shown that FB, FA, and FE are also each equal to each of FC and FD. Thus, the five straight-lines FA, FB, FC, FD, and FE are equal to one another. Thus, the circle drawn with center F, and radius one of FA, FB, FC, FD, or FE, will also go through the remaining points, and will have been circumscribed. Let it have been (so) circumscribed, and let it be ABCDE.


Thus, a circle has been circumscribed about the given pentagon, which is equilateral and equiangular. (Which is) the very thing it was required to do.

#### **Proposition 15**

To inscribe an equilateral and equiangular hexagon in a given circle.

Let *ABCDEF* be the given circle. So it is required to inscribe an equilateral and equiangular hexagon in circle *ABCDEF*.

Let the diameter AD of circle ABCDEF have been drawn,<sup>†</sup> and let the center G of the circle have been found [Prop. 3.1]. And let the circle EGCH have been drawn, with center D, and radius DG. And EG and CGbeing joined, let them have been drawn across (the cir-




τὸ ΑΒΓΔΕΖ ἑξάγωνον ἰσόπλευρόν τέ ἐστι καὶ ἰσογώνιον.

Έπεὶ γὰρ τὸ Η σημεῖον κέντρον ἐστὶ τοῦ ΑΒΓΔΕΖ κύκλου, ἴση ἐστὶν ἡ ΗΕ τῆ ΗΔ. πάλιν, ἐπεὶ τὸ Δ σημεῖον κέντρον ἐστὶ τοῦ ΗΓΘ κύκλου, ἴση ἐστὶν <br/>ἡ  $\Delta E$  τῆ  $\Delta H$ . άλλ<br/>՝ ή ΗΕ τῆ ΗΔ ἐδείχθη ἴση· καὶ ή ΗΕ ἄρα τῆ ΕΔ ἴση έστίν· ἰσόπλευρον ἄρα έστὶ τὸ  ${\rm EH}\Delta$ τρίγωνον· καὶ αἱ τρ<br/>εῖς άρα αὐτοῦ γωνίαι αἱ ὑπὸ ΕΗΔ, ΗΔΕ, ΔΕΗ ἴσαι ἀλλήλαις εἰσίν, ἐπειδήπερ τῶν ἰσοσχελῶν τριγώνων αἱ πρὸς τῆ βάσει γωνίαι ἴσαι ἀλλήλαις εἰσίν· καί εἰσιν αἱ τρεῖς τοῦ τριγώνου γωνίαι δυσιν όρθαῖς ἴσαι· ἡ ἄρα ὑπὸ ΕΗΔ γωνία τρίτον ἐστὶ δύο ὀρθῶν. ὑμοίως δὴ δειχθήσεται καὶ ἡ ὑπὸ ΔΗΓ τρίτον δύο ὀρθῶν. καὶ ἐπεὶ ἡ ΓΗ εὐθεῖα ἐπὶ τὴν ΕΒ σταθεῖσα τὰς έφεξῆς γωνίας τὰς ὑπὸ ΕΗΓ, ΓΗΒ δυσὶν ὀρθαῖς ἴσας ποιεῖ, καὶ λοιπὴ ἄρα ἡ ὑπὸ ΓΗΒ τρίτον ἐστὶ δύο ὀρθῶν· αἱ ἄρα ύπὸ ΕΗΔ, ΔΗΓ, ΓΗΒ γωνίαι ἴσαι ἀλλήλαις εἰσίν· ὥστε καὶ αί κατὰ κορυφήν αὐταῖς αἱ ὑπὸ BHA, AHZ, ZHE ἴσαι εἰσὶν [ταῖς ὑπὸ ΕΗΔ, ΔΗΓ, ΓΗΒ]. αἱ ἕξ ἄρα γωνίαι αἱ ὑπὸ ΕΗΔ, ΔΗΓ, ΓΗΒ, ΒΗΑ, ΑΗΖ, ΖΗΕ ἴσαι ἀλλήλαις εἰσίν. αἱ δὲ ίσαι γωνίαι ἐπὶ ἴσων περιφερειῶν βεβήχασιν· αἱ ἕξ ἄρα περιφέρειαι αί AB, BΓ, ΓΔ, ΔΕ, ΕΖ, ΖΑ ίσαι ἀλλήλαις εἰσίν. ύπὸ δὲ τὰς ἴσας περιφερείας αἱ ἴσαι εὐθεῖαι ὑποτείνουσιν. αί ἕξ ἄρα εὐθεῖαι ἴσαι ἀλλήλαις εἰσίν· ἰσόπλευρον ἄρα ἐστὶ το ΑΒΓΔΕΖ ἑξάγωνον. λέγω δή, ὅτι καὶ ἰσογώνιον. ἐπεὶ γὰρ ἴση ἐστὶν ἡ ΖΑ περιφέρεια τῆ ΕΔ περιφερεία, κοινὴ προσκείσθω ή ΑΒΓΔ περιφέρεια δλη άρα ή ΖΑΒΓΔ όλη τῆ ΕΔΓΒΑ ἐστιν ἴση· καὶ βέβηκεν ἐπὶ μὲν τῆς ΖΑΒΓΔ περιφερείας ή ὑπὸ ΖΕΔ γωνία, ἐπὶ δὲ τῆς ΕΔΓΒΑ περιφερείας ή ὑπὸ ΑΖΕ γωνία· ἴση ἄρα ή ὑπὸ ΑΖΕ γωνία τῆ ύπὸ ΔΕΖ. ὁμοίως δὴ δειχθήσεται, ὅτι καὶ αἱ λοιπαὶ γωνίαι τοῦ ΑΒΓΔΕΖ ἑξαγώνου κατὰ μίαν ἴσαι εἰσὶν ἑκατέρα τῶν ύπὸ ΑΖΕ, ΖΕΔ γωνιῶν· ἰσογώνιον ἄρα ἐστὶ τὸ ΑΒΓΔΕΖ έξάγωνον. έδείχθη δὲ καὶ ἰσόπλευρον καὶ ἐγγέγραπται εἰς τὸν ΑΒΓΔΕΖ κύκλον.

Εἰς ἄρα τὸν δοθέντα κύκλον ἑξάγωνον ἰσόπλευρόν τε

cle) to points B and F (respectively). And let AB, BC, CD, DE, EF, and FA have been joined. I say that the hexagon ABCDEF is equilateral and equiangular.



For since point G is the center of circle ABCDEF, GE is equal to GD. Again, since point D is the center of circle GCH, DE is equal to DG. But, GE was shown (to be) equal to GD. Thus, GE is also equal to ED. Thus, triangle EGD is equilateral. Thus, its three angles EGD, GDE, and DEG are also equal to one another, inasmuch as the angles at the base of isosceles triangles are equal to one another [Prop. 1.5]. And the three angles of the triangle are equal to two right-angles [Prop. 1.32]. Thus, angle EGD is one third of two rightangles. So, similarly, DGC can also be shown (to be) one third of two right-angles. And since the straight-line CG, standing on EB, makes adjacent angles EGC and CGB equal to two right-angles [Prop. 1.13], the remaining angle *CGB* is thus also one third of two right-angles. Thus, angles EGD, DGC, and CGB are equal to one another. And hence the (angles) opposite to them BGA, AGF, and FGE are also equal [to EGD, DGC, and CGB (respectively)] [Prop. 1.15]. Thus, the six angles EGD, DGC, CGB, BGA, AGF, and FGE are equal to one another. And equal angles stand on equal circumferences [Prop. 3.26]. Thus, the six circumferences AB, BC, CD, DE, EF, and FA are equal to one another. And equal circumferences are subtended by equal straight-lines [Prop. 3.29]. Thus, the six straight-lines (AB, BC, CD, DE, EF, and FA) are equal to one another. Thus, hexagon ABCDEF is equilateral. So, I say that (it is) also equiangular. For since circumference FA is equal to circumference ED, let circumference ABCD have been added to both. Thus, the whole of FABCD is equal to the whole of EDCBA. And angle FED stands on circumference FABCD, and angle AFE on circumference EDCBA. Thus, angle AFE is equal καὶ ἰσογώνιον ἐγγέγραπται· ὅπερ ἔδει ποιῆσαι.

## Πόρισμα.


Έκ δή τούτου φανερόν, ὄτι ή τοῦ ἑξαγώνου πλευρὰ ἴση ἐστὶ τῆ ἐκ τοῦ κέντρου τοῦ κύκλου.

Όμοίως δὲ τοῖς ἐπὶ τοῦ πενταγώνου ἐἀν διὰ τῶν κατὰ τὸν κύκλον διαιρέσεων ἐφαπτομένας τοῦ κύκλου ἀγάγωμεν, περιγραφήσεται περὶ τὸν κύκλον ἑξάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον ἀκολούθως τοῖς ἐπὶ τοῦ πενταγώνου εἰρημένοις. καὶ ἔτι διὰ τῶν ὁμοίων τοῖς ἐπὶ τοῦ πενταγώνου εἰρημένοις εἰς τὸ δοθὲν ἑξάγωνον κύκλον ἐγγράψομέν τε καὶ περιγράψομεν. ὅπερ ἔδει ποιῆσαι.

<sup>†</sup> See the footnote to Prop. 4.6.

#### เร'.

Εἰς τὸν δοθέντα κύκλον πεντεκαιδεκάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον ἐγγράψαι.



Έστω ὁ δοθεὶς κύκλος ὁ ΑΒΓΔ· δεῖ δὴ εἰς τὸν ΑΒΓΔ κύκλον πεντεκαιδεκάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον ἐγγράψαι.

Έγγεγράφθω εἰς τὸν ΑΒΓΔ κύκλον τριγώνου μὲν ἰσοπλεύρου τοῦ εἰς αὐτὸν ἐγγραφομένου πλευρὰ ἡ ΑΓ, πενταγώνου δὲ ἰσοπλεύρου ἡ ΑΒ· οἴων ἄρα ἐστὶν ὁ ΑΒΓΔ κύκλος ἴσων τμήματων δεκαπέντε, τοιούτων ἡ μὲν ΑΒΓ περιφέρεια τρίτον οῦσα τοῦ κύκλου ἔσται πέντε, ἡ δὲ ΑΒ περιφέρεια πέμτον οῦσα τοῦ κύκλου ἔσται τριῶν· λοιπὴ ἄρα to DEF [Prop. 3.27]. Similarly, it can also be shown that the remaining angles of hexagon ABCDEF are individually equal to each of the angles AFE and FED. Thus, hexagon ABCDEF is equiangular. And it was also shown (to be) equilateral. And it has been inscribed in circle ABCDE.

Thus, an equilateral and equiangular hexagon has been inscribed in the given circle. (Which is) the very thing it was required to do.


## Corollary

So, from this, (it is) manifest that a side of the hexagon is equal to the radius of the circle.

And similarly to a pentagon, if we draw tangents to the circle through the (sixfold) divisions of the (circumference of the) circle, an equilateral and equiangular hexagon can be circumscribed about the circle, analogously to the aforementioned pentagon. And, further, by (means) similar to the aforementioned pentagon, we can inscribe and circumscribe a circle in (and about) a given hexagon. (Which is) the very thing it was required to do.

## Proposition 16

To inscribe an equilateral and equiangular fifteensided figure in a given circle.



Let ABCD be the given circle. So it is required to inscribe an equilateral and equiangular fifteen-sided figure in circle ABCD.

Let the side AC of an equilateral triangle inscribed in (the circle) [Prop. 4.2], and (the side) AB of an (inscribed) equilateral pentagon [Prop. 4.11], have been inscribed in circle ABCD. Thus, just as the circle ABCDis (made up) of fifteen equal pieces, the circumference ABC, being a third of the circle, will be (made up) of five ή ΒΓ τῶν ἴσων δύο. τετμήσθω ή ΒΓ δίχα κατὰ τὸ Ε· ἑκατέρα ἄρα τῶν ΒΕ, ΕΓ περιφερειῶν πεντεκαιδέκατόν ἐστι τοῦ ΑΒΓΔ κύκλου.

Ἐἀν ἄρα ἐπιζεύξαντες τὰς BE, ΕΓ ἴσας αὐταῖς κατὰ τὸ συνεχὲς εὐθείας ἐναρμόσωμεν εἰς τὸν  $AB\Gamma\Delta[E]$  κύκλον, ἔσται εἰς αὐτὸν ἐγγεγραμμένον πεντεκαιδεκάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον ὅπερ ἔδει ποιῆσαι.

Όμοίως δὲ τοῖς ἐπὶ τοῦ πενταγώνου ἐἀν διὰ τῶν κατὰ τὸν κύκλον διαιρέσεων ἐφαπτομένας τοῦ κύκλου ἀγάγωμεν, περιγραφήσεται περὶ τὸν κύκλον πεντεκαιδεκάγωνον ἰσόπλευρόν τε καὶ ἰσογώνιον. ἔτι δὲ διὰ τῶν ὁμοίων τοῖς ἐπὶ τοῦ πενταγώνου δείξεων καὶ εἰς τὸ δοθὲν πεντεκαιδεκάγωνον κύκλον ἐγγράψομέν τε καὶ περιγράψομεν. ὅπερ ἔδει ποιῆσαι.

such (pieces), and the circumference AB, being a fifth of the circle, will be (made up) of three. Thus, the remainder BC (will be made up) of two equal (pieces). Let (circumference) BC have been cut in half at E [Prop. 3.30]. Thus, each of the circumferences BE and EC is one fifteenth of the circle ABCDE.

Thus, if, joining BE and EC, we continuously insert straight-lines equal to them into circle ABCD[E][Prop. 4.1], then an equilateral and equiangular fifteensided figure will have been inserted into (the circle). (Which is) the very thing it was required to do.

And similarly to the pentagon, if we draw tangents to the circle through the (fifteenfold) divisions of the (circumference of the) circle, we can circumscribe an equilateral and equiangular fifteen-sided figure about the circle. And, further, through similar proofs to the pentagon, we can also inscribe and circumscribe a circle in (and about) a given fifteen-sided figure. (Which is) the very thing it was required to do.